

## LED Highbay Light HBL-02-G4



### Better solutions for a Led Highbay Light

- IP65 water-proof**
- AC 277-480V 50/60Hz**
- Easy Installation**
- 140Lm/w**

### Options

Power	Color	Beam Angle
Meanwell HVG DRIVER	3000K	50°
	4000K	90°
	5700K	120°




### Application

Factories, Steel Mills, Steel Smelting Plants, Manufacturing Plants & Warehouses  
Farms and Industrial Installations, sport Facilities & Workshops, Storage Facilities & Warehouses  
Supermarkets & Department Stores, Showrooms, Design Centers & Galleries.


### Specifications

Item	Power	Lumen	Leds	CRI	Weight	Beam Angle
BR-HBL80W-02-G4	80W	11200Lm	LUMILEDS 3030	> 80	3.50kg	50°/90°/120°
BR-HBL100W-02-G4	100W	14000Lm	LUMILEDS 3030	> 80	3.50kg	50°/90°/120°
BR-HBL120W-02-G4	120W	16800Lm	LUMILEDS 3030	> 80	3.50kg	50°/90°/120°
BR-HBL150W-02-G4	150W	21000Lm	LUMILEDS 3030	> 80	3.50kg	50°/90°/120°
BR-HBL200W-02-G4	200W	28000Lm	LUMILEDS 3030	> 80	5.50kg	50°/90°/120°
BR-HBL240W-02-G4	240W	33600Lm	LUMILEDS 3030	> 80	5.50kg	50°/90°/120°

### Dimensions(mm)



### Photometry



### HBL-02-G4




### Model Options




### Installation and use

#### P1 Mounting Ring (Standard)



#### P2 Mounting Bracket A



# HBL-02-G4 LED Highbay Lights

## P3 Mounting Ring

**1**

Power	D1
100W	10mm
150W	10mm
200W	10mm
240W	10mm

**2a**

**3a**

**2b**

**3b**

Brown(Black)--- L  
Blue(White)--- N  
G/Y(Green)--- GND

L N GND

**4b**

## P4 Mounting Bracket B

**1**

Power	D1	D2
100W	180mm	12mm
150W	180mm	12mm
200W	180mm	12mm

**2**

**3**

Brown(Black)--- L  
Blue(White)--- N  
G/Y(Green)--- GND

L N GND

## P5 Mounting Ring

**1**

Power	D1
100W	10mm
150W	10mm
200W	10mm

**2**

**3**

Brown(Black)--- L  
Blue(White)--- N  
G/Y(Green)--- GND

L N GND

## P6 Mounting Bracket C

**1**

Power	D1	D2
100W	100mm	12mm
150W	100mm	12mm
200W	100mm	12mm

**2**

**3**

Brown(Black)--- L  
Blue(White)--- N  
G/Y(Green)--- GND

L N GND

## Packing Spec

Item	Box			Carton		
	Measurement(mm)	Gross weight	Pcs/box	Measurement(mm)	Gross weight	Pcs/box
BR-HBL80W/100W-02-G4	L415*W415*H290	5.12kg	1	/	/	/
BR-HBL120W/150W-02-G4	L415*W415*H290	5.12kg	1	/	/	/
BR-HBL200W/240W-02-G4	L465*W465*H310	7.68kg	1	/	/	/