

LED Highbay Light HBL-02-G5



Better solutions for a Led Highbay Light

IP65 water-proof

AC100-277V 50/60Hz

Easy Installation

140Lm/w

Options

Power	Color	Beam Angle
MEAN WELL DRIVER	3000K	60°
HBG series B: Dimmable 1-10V	4000K	90°
HBG series AB	5700K	120°
ELG series A: Standard		
ELG series B: Dimmable 0-10V		
ELG series DA: Dimmable DALI		




Application

Factories, Steel Mills, Steel Smelting Plants, Manufacturing Plants & Warehouses
Farms and Industrial Installations, sport Facilities & Workshops, Storage Facilities & Warehouses
Supermarkets & Department Stores, Showrooms, Design Centers & Galleries.



Specifications

Item	Power	Lumen	Leds	CRI	Weight	Beam Angle
BR-HBL80W-02-G5	80W	11200Lm	LUMILEDS 3030	> 80	3.90kg	60°/90°/120°
BR-HBL100W-02-G5	100W	14000Lm	LUMILEDS 3030	> 80	3.90kg	60°/90°/120°
BR-HBL120W-02-G5	120W	16800Lm	LUMILEDS 3030	> 80	3.90kg	60°/90°/120°
BR-HBL150W-02-G5	150W	21000Lm	LUMILEDS 3030	> 80	4.70kg	60°/90°/120°
BR-HBL200W-02-G5	200W	28000Lm	LUMILEDS 3030	> 80	5.17kg	60°/90°/120°

Dimensions(mm)



Photometry



HBL-02-G5




Model Options




Installation and use

P1 Mounting Ring (Standard)



P2 Mounting Bracket A



HBL-02-G5 LED Highbay Lights

P3 Mounting Ring

1

Power	D1
100W	10mm
150W	10mm
200W	10mm

2a

3a

2b

3b

Brown(Black)--- L
Blue(White)--- N
G/Y(Green)-- GND

L N GND

4b

P4 Mounting Bracket B

1

Power	D1	D2
100W	100mm	12mm
150W	100mm	12mm
200W	100mm	12mm

2

3

Brown(Black)--- L
Blue(White)--- N
G/Y(Green)-- GND

L N GND

P5 Mounting Ring

1

Power	D1
100W	10mm
150W	10mm
200W	10mm

2

3

Brown(Black)--- L
Blue(White)--- N
G/Y(Green)-- GND

L N GND

P6 Mounting Bracket C

1

Power	D1	D2
100W	100mm	12mm
150W	100mm	12mm
200W	100mm	12mm

2

3

Brown(Black)--- L
Blue(White)--- N
G/Y(Green)-- GND

L N GND

Packing Spec

Item	Box			Carton		
	Measurement(mm)	Gross weight	Pcs/box	Measurement(mm)	Gross weight	Pcs/box
BR-HBL80W/100W-02-G5	L415*W415*H290	5.12kg	1	/	/	/
BR-HBL120W/150W-02-G5	L415*W415*H290	6.96kg	1	/	/	/
BR-HBL200W-02-G5	L465*W465*H310	9.68kg	1	/	/	/